MY WATER FEELS SLIPPERY							
POSSIBLE	HEALTH	OTHER CLUES &	CONFIRM	POSSIBLE	LICENSE REQUIRED	STATE	MORE
PROBLEM	CONCERN?	CONSIDERATIONS	IT	FIXES	FOR FIX?	FUNDS?	INFO
Water is	Possibly, if an	Are your dishes etched	Test your	Change the	No	No	Call a
Too "Soft"	individual has	from washing them in	untreated	settings on			licensed
	been advised to	the dishwasher?	water for	your water			plumber.
	eat a low		hardness to	softener so			
	sodium diet.		make sure it	that it			
	See Department		really needs to	regenerates			
	of <u>Health Fact</u>		be softened.	less			
	Sheet for		Contact a	frequently.			
	sodium. There		<u>laboratory</u>				
	is a <u>nuisance</u>		<u>certified by</u> DNR to				
	standard for chloride which						
	water gives the		<u>perform</u> chloride				
	salty taste.		analyses.				
POSSIBLE	HEALTH	OTHER CLUES &	CONFIRM	POSSIBLE	LICENSE REQUIRED	STATE	MORE
PROBLEM	CONCERN?	CONSIDERATIONS	IT	FIXES	FOR FIX?	FUNDS?	INFO
Salt	Possibly, if an	Was a lot of road salt	Test your	See MY	See MY WATER	See MY	See MY
Sait	individual has	applied during the	water for	WATER	TASTES SALTY.	WATER	WATER
	been advised to	winter? Is bedrock	sodium and	TASTES	TAGTEG GALTT.	TASTES	TASTES
	eat a low	shallow in the area or	chloride	SALTY.		SALTY.	SALTY.
	sodium diet.	is the casing pipe in	Contact a	OTILITI.		OTILIT.	OTILIT.
	See Department	your well shallow? Is	laboratory				
	of Health Fact	your water softener	certified by				
	Sheet for	functioning properly?	DNR to				
	sodium. There		perform				
	is a <u>nuisance</u>		chloride				
	standard for		analyses.				
	chloride which						
	gives the salty						
	taste.						